

FRANZ VIEGENER

Nerea

Installation

Instalacion




Nerea Faucets - Line 59-59L-59K-59D-59R-59V

Before connecting the faucet to the water supply, flush the tubing thoroughly to eliminate any residue /
Antes de conectar la grifería a la distribución de agua, purgue muy bien la cañería a fin de eliminar partículas extrañas.


Required installation tools / Herramientas necesarias para la instalación

Provided / Provistas




Aerator Tool
Aireador


Not Provided / No Provistas



Phillips screwdriver
Destornillador Phillips





Adjustable wrench
Llave francesa




Channelock
Llave pico de loro

Nerea Faucets - Line 59-59L-59K-59D-59R-59V


FV201/59-59L-59K-59D-59R-59V
Widespread lavatory.
 Lavatorio




Minimum flow rate out at required constant pressure, 20 PSI and minimum flow rate for feed from 5.3 gal per min (for hot and cold connections): 2,2 gal per min




Handle models
Modelos de volante




FV201/59




FV201/59L




FV201/59K





FV201/59D






FV201/59V







FV201/59R

























Notes / Notas

Notes / Notas

Notes / Notas



FRANZ VIEGENER

A FV S.A. company.

4000 Porett Drive • Gurnee Illinois 60031

Phone 847-244-1234 / Fax 847-244-1259



Scan the code
to get more
information
about this line.

www.franzviegener.com

FRANZ VIEGENER reserve the right to make revisions without notice in the design of faucets and bathroom accessories or in packaging.
FOLLFV201/59L / Edition No 1 _ January, 2011